n leskepe (A) Le remain (A) (A)

Service Company and device the company of the compa

FIGURE 1	taichoid acid
	- lipoteighan and
S pertidogly can  (5)	ipoterahaa ecid
	i de ste gener
ŊŊŊŊĠĠĠŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢ	_ cytoplasmic membrane




FIGURE 3

Survival in a Lethal S. aureus Sepsis Model Effect of Anti-Staph MAB 96-110 on





FIGURE 4



	6H	£R	. S £ (	۷.														_				
	$\Gamma$						_	-	0			20		•	_	70		1				,
	1:11	11	. 6r	ne r	2 - 1	700	SGC	TCATO		GA"	'AG	1.0 <u>.</u>	TTA	TC	GG	ccc	<i>5E</i>	0	ID	· 1	10 4	-
	61					C	A	н	٨	υ	R	V	,	(	C	A	Š۶	0	T. D	. /	vo. 5	
	4 20	14	1.6n	no:	2 - 2	JGGG	xcc	TCATO	CC	GAT	rag(	GT	TT	TG	GG	SCC	•	Ţì			• -	
	65					C	Α		λ	D	R	٧	Y		С	Α		•				
			. ნი	nor	2 - 3			TCATC														
	66					G	Α.	Н	A	D	R	v	Υ	(	S	۸	~~	$\sim$	7 h	AIC	26	
	146	16	.61	no z	2-4	1000	λΑ~`	ICV.IC		CAI	AGC	ici.	117	1100	-	iCC	25	Ψ	10	110	27	
	62	٠, ٦	٠.		٦ s	CCC	7	H DTADT	A		R	۷.	Y ATT		) ```	A	SE	Q	ID	/ / /	ν. ι	
	67	1,	. 011	ier	2-5	100	A	H	. Х	ν D	R	, v			3	Λ.						
	1-	1.8	6m	10-	2 - 6	1 -		ICATG					TTA		-							
	68	10	. 011			l c	A	Н	A	D.	R	v	Y			A		•				
	1	19	. 6m	ne r	2-7			CATO				GT	TTA		GC	CC						
	69					1	A	н	A	D	R	٧	Y		;	Α						
	k 86	20	. 6m	er	2 - 8	JCCC	CC.	CATG	CC	GAT	VCC	C.L	TTA	TCC	CCC	CC						
	70					C	A	Н	Α	D	R	٧	Y	-		A		:				
		21	. 6m	er	2 - 9	1		CATG								CC		:				
	71	٦.	c			CCC	λ	}{ ~`\~~	A	D CAT	R	V	Y	~~		λ						
	22	د 2	. um	CI.	Z - 1	C	A.	OTADO H	λ	OW 1	RCC R	V	TTA	C		A.						
		24	۶m	00	) - 1 '	-		CATG					TTA	_								
	73	2 4	. 0	C. A.		G	A	Н	A	D	R	v	Y	G		A						
	_	25	. 6m	er:	2-1:	ı		CATG	-				TTA.	-				:				
- 1	76					C	Α	н	A	D	R	٧		- 0		Ā		;		•		
1	546	26	. 6m	er:	2-14	ccc	CCI	$\mathcal{I}$	CC	CAT	ACC	СТ	TTA	TGC	CC	CC		1				
-	75					G	Α	H	A	D	R	٧	Y	G	;	Α						
1	•	27	. 6m	er.	5-73	GCC	CCI	$\mathcal{L}VJ\mathcal{L}$	CC			CT	ATT	<i>10</i> 0	CC	CC		:				
- 1	76		_			С	Α	H	A	D	R	٧	Y	C		A_		:				
- 1	_	28	. 6m	er:	?-16			CVIC					TTA'	LCC								
- 1	77 - or	٦.	c-			C	A ~~~	K MC	A	D	R NGC	V	Y	0 ، د		A CC		:				
	28 28	ں ر	. bmi	617	. – 1 6	G	Α	OTAD H	y	D 1	R R	V	TTA'	<u>ا</u> 100		A A		:				
- 1	-	าา	6me	A T ?	-14	_		CATC		_			•	•								
- 1	79	_ ~	. 01111			G	A.	Н	λ.	D	R	v	Y	G		Λ						
- 1	-	32	, 6me	erz	- 2 d			CATC		TAC			TTA'		`			:				
- 1	90					G	A	н	Α	D	R	V	Y	G		A						
1																						
1			•		1									,				ł				

15MER2 SEQ	
	10 20 30 40 50 60
50' 02 15-2-2 1/1	GGGGCTTGGC AT TOGCCTCA TCGTATTCCT CTTCACCTTC CTGCTCGTCG TGGGGCC SEQ ID NO. 8
70	C V (M) H M & H K . T & C O . C Y Y C & LOCACE PER TO NO . 8
	COCCCTTCTC SECATEGIAN TITTITITAT TITTITICATE SCIPCOTICAT TEGECICE SEO ID NO. 10
177	G A R (R)(H) G N (F)(S)(H) F F (H) (R) S L I G A SEQ ID NO. 11
53(10 15-0-2-4//	COGGCTTECH ACCUTTOTT NATIONALLY TATOGTOCIC COGGTTCGCC TOGGCCC SEQ ID NO 12
171	G A (W) (K) A L (P) (S) H) S Y (R) P R G S A G A SEQ ID NO. 13
E4(1) 15-0-2 5/6	GGGGCTAGGC ATTGGCGTCA TCGTATTCCT CTTCAGCTTG CTGCTGGTCG TGGGGCC SEQ ID NO. 14
p4: 11.15mer2-5/0	locations at the contribution of the contribut
1'4 5('17 15marz 7/6	GARHWRHRIPLOLAAGROOTE TECHNOLIS
p6(13.15me12-7/0	design the contract the contrac
1/0 F3(14 15=0=2 0/d	CONTROL ATTENTION AND A TENTON OF A A CONTROL TO THE AND A TENTON OF A TENTON
5 / 14.15merz-8/U	GOOGLIGGE ATTOCKED A TECHNICAL CITED CATE TO THE ACT OF
F0' 15 15-0-3 0'0	GGGGCTTGGC ATTGGCGTCA TCGTATTCCT CTTCAGCTTC CTGCTGGTCG TGGGGCCSEQ ID NO. 16 G 'A W H W R II R I P L O L A A G R' G A SEQ ID NO. 17 GGGGCTTGGC ATTGGCGTCA TCGTATTCCT CTTCAGCTTC CTGCTCGTCG TGGGGCCSEQ ID NO. 18 G A W H W R II R I P L O L A A G R' G A SEQ ID NO. 19 GGGGCTCAGG TGGGTGTTT GTATCCTCCT TTGGCTGATC CTACTGAGCT TGGGGCC SEQ ID NO. 20
20(12.12mu12-3/4	GAQVAVLYPPLADATELGASEQIDNO.31
50/16 15-0-2-10	G A Q V A V L Y P P L A D A T E L G A SEQ ID NO. 21 GGGGCTCGTC GGCATGCTAA TTIITCTCAT TITTTCATC GGTCGTTGAT TCGGGCC SEQ ID NO. 22
79	GARRHGNESH FFHRSLIGASEQIDNO.23
	GARRHGNFSHFFHRSLLGASEQIDNO.23
an	GOGGETEGTE GGEATGGTAA TITTTETENT TITTTECATE GGTEGTTGAT TGGGGEESEO ID NO. 24 G A R R H G N F S H F F H R S L I G A SEO ID NO. 25
61'18 15mar2=121	GCSCCTTGGC GTATGTATTT TTCTCATCCT CATCCCCLATC TTCGTAGTCC TGGGGCC SEQ ID NO. 26
s1	GA(H) RHY(P)(S)(H) RHA(H)(L) RSPGASEQID No. 27
62: 19 15mer2-13/	GGGGTTHE GTATGTATTI THE TEXTS CATCLED TO THE TROUBLE OF THE MAN AND THE MAN AND THE TABLE OF THE MAN AND THE TABLE OF TABLE
82	GGGGCTTCCC CTATCTATTY TTCTCXTCCT CATCCCCXIC TTCGTAGTCC TGGGGCC SEQ TD NO. 28 C A W R H Y F S H R H A H L R S P C A SEQ ID NO. 29
635 20 15mar2-14	GGGGCTTGC GGAAGTATTT TTCTTATCAT CATCCCCATC TTTCTAGTC TCCCCC C.C. T. NO. 30
97	GGGGCTTGGC GGAAGTATTT TTCTTATCAT CATGCGCATC TTTGTAGTCC TGGGGCC SEQ JD NO. 30  G A W R K Y F S Y H H A II L C S P G A SEQ LD NO. 31
54:21 15mer2-15	GGGGTTTGG GTATGTATTT TTCTATTGT CATGGGATT TTCGTAGTTC TCCCCC Sea TO NO. 32
90	CAWRYFSHRHAHIRSPCAMM.33
SS 22 15mer2-16/	TO TO THE TATE OF THE PROPERTY THE TATE OF
95	GAWRHYESHRANIE
6; 23.15mar2-17/	GGGCTTYGC GTATGTATTT TTCTCATGT CATCGCATY TTCGTAGTCC TCGGGCC SA TO ACC 300
36	GAWRHYFSHRHAHIRSPCASCOTOWN
7: 24.15mor2-18/	TOROGET TARTEST TARTEST TARTEST TARTEST AND THE ANIBORA SECTION OF T
37	GARRHGN FSH FFH RS LT GASCODAMI
86 25.15mer2-19/0	GGGGCTTGGC GTATGTATTT TTCTCATCGT CATCGGCATC TTCGTAGTCC TGGGGCC SEQ ID NO, 32  GGGGCTTGGC GTATGTATTT TTCTCATCGT CATCGGCATC TTCGTAGTCC TGGGGCC SEQ ID NO, 33  GGGGCTTGGC GTATGTATTT TTCTCATCGT CATCGGCATC TTCGTAGTCC TGGGGCC SEQ ID NO, 34  G A W R H Y F S H R H A H L R S P G A SEQ ID NO, 35  GGGGCTTGGC GTATGTATTT TTCTCATCGT CATGGGCATC TTCGTAGTCC TGGGGCC SEQ ID NO, 36  G A W R H Y F S H R H A H L R S P C A SEQ ID NO, 37  GGGGCTTGGC GGCATGGTAA TTTTTCTCAT TTTTTTCATC GGTCGTTGAT TGGGGCC SEQ ID NO, 38  G A R R H C N F S H F F H R S L I G A SEQ ID NO, 37  GGGGCTTGGC ATTGGCGTCA TCGTATTCCT CTTCAGCTTG CTGCTGGTCG TGGGGCC SEQ ID NO, 40
3.8	CAN HUBBH BILL COLOR COL
98 26.15mer2-20/c	GOGGETEGTE GGEATEGTAN TITTITETENTE GGTEGTTGAT TGGGGGE SEQ ID NO. 42
19	GARRHGNESHEEHRSLIGASERTDIN.42
<u> </u>	GARRHONFSHFFHRSLIGASEQIDAD. 43

SMERT . SEQ	<del></del>				,,		<del></del>
	1	10 30		1	) <u> </u>	• •	6 ( 1
1; 28.15mer1-2/0	CCCCCTGATT	T CONTTACT L	TOSTOSTA	CATCATGATC	מתדמודמום	TCCCCCC	SEQ ID NO. 44 SEQ ID NO. 45
;7	CAD	(W) I T (F	')(H)R R	и (и) и	n v L s	G A	SED TO NO: 45
12; 29.15mer1-3/0	CCCCCTCCTT	TOCATIACTIT	רוטטרטטדג'זר	CYLCYLCALC	gramans	TOGGGCC	SEQID NO. 47
;8	CAC	WITF	H R R	a k n	R V L. S	. G A	SEQ TO NO. 47
-5032.15mer1-6/0	CCCCCTCCTT	T GGATTACTTT	TCATCGTCGT	CATCATGATC	CICIICITIC	$\pi$ ccccc	
;}	C A C	WITF	я я н	ннр	RVLS	GΑ	
12(13.15mer1-7/9	GCGCCTCGTT	r ggattactit	TEATCORCGT	CATCATGATC	GTCTTCTTTC	TCCCCCC	
'ó	C A G	witr	HRR	H H D	RVLS	ĊΑ	
13;14.15mer1-8/0	CCCCCTCCTT	r ggattactti	TCATCGTCGT	CATCATCATC	CICIICIIIC	TOGGGCC	
		WITF					
ic: 15.15mcr1-9/0							
		WITF					
is 16.15mcr1-10	GGGGCTGGTT	C GGATTACTTT	TCATCGTCGT	CATCATGATC	CTCTTCTTTC	TGGGGCC	
		HITE					
i6;17.15mer1-11{							•
		WITF					
17(18.15mer1-12)							
		WITF					
86 19.15mer1-13							
		WITF					
i9; 20.15mer1-14/							
		WITF					
0{21.15mer1-15/0	SGGSCTGGTT	GGATTACTTT	TEXTECTECT	CATCATGATC	CTGTTCTTTC	TGGGGCC	
14	G A G	WITF	HRR	ннр	R V L S	G A	
1{ 22.15mer1-16 ( 15 2{ 23.15mer1-17 (	GCCCTGGGA	ACCCIVICITY	TACTCATTCT	TATCGTCATC	ceccurcec	TGGGGGCC S	seaid Mo. 40
15	G A G (	(K <sup>1</sup> ) A H (F)	(s/x H) s	Y R (H) (	R') G S A	GAS	5EQ IDNO. 49
2; 23.15mer1-17 (	CCCCCTCCTT	CCATTACTTT	TOXICGICGT	CATCATCATC	<u>ארוגאנא</u>	TGGGGGC	
10 .	GAC	WITF	HRR	א א	R V L S	C A	*
3, 24.15mer1-18/0	SCCCCTCGTT	GGATTACTTT	TCATCGTCGT	CATCATCATC	CICITCITIC	TGCCCCC	
7	CAC	WITF	HRR	д н к	RVLS	G A	
4{ 25.15mer1-19 0	GGGCTGGTT	GGNTTACTTT	TOSTOSTAST	OTADIA OTAD	סדרדדדדד	TCCCCCC	
8 5{ 26.15mer1-20	CAG	WITF	HRR	מ א א	RVLS	Сλ	
5; 26.15mar1-20/C	CCCCTCCTT		TCATCGTCCT	CATCATCATC	CICITCITIC	TGGGGCC	
	CAC	WITF	нак		RVLS	G A	
•							

w
ш
$\propto$
$\supset$
$\overline{\mathfrak{O}}$
됴

S	masceriist	ا ا				1				
			01	0~	0.	•	\$S		0, 09	
51	15mer	154.1	5½ 15mer 1st.1 GCGCCTCATT	CCATTACTT	TCATCGTCGT	CATCATCATC	CICTICITIES	TOCOCCC	11. 1,380 ID NO SO	
57			۵ خ ن	7 1 7	H R R	Ω Ή	R V L S	∢ ن	1350 ID NO 51	
96	15mer	155.2	CCCCTACTC	GTCATATCT	TOCTOCOTOC	TCCCCTTTCC	THICHCHICC	700000	G	
9.1			S Y S	R ≍ ∴	<b>Σ</b> α <b>∀</b>	S R L	ر د د	∡ ن	) `	
7,1	15mer	156.16	CCCCCTCCCA	ACCCTATGTT		TATCGTCATC	SCC TTC CCC	7555557	1/ SEO THE NO 54	
85			ں <	X X T	SXS		SAS	ح ن	HON NO	
. 92	1 Smer	2nd.1	CCCCCTTCCC	ATTGGCGTCA	TCGTATTCCT	CAGCTTG	GTCC	TOCCOCC		
98			∡ ∢ ∪	X X X	۵. ب <del>م</del> د	ە د	A C)	∡ ن	200	
93	15mer	2nd.3	COCCUCATO	CCCATCGTAA	_	TITITICATE	۲	TOCOCCC	1 / a N 60 TO NO NO	
9 8	_		ω ✓ Ο		F S =	H	L	S	2	
\$6	15mer	2. bus .	CCCCCTTCCA	ACCCT	TCATT	TATCCTCTC		75500007	1 1	
30 3	_		ェ ィ ひ	X A L	SXS	۲ ۳		∢ ن	200	
95	15mer	2nd.9	000000TC 200	TCCCACTURE	٤	TTCCCTCATC	CTACTGACCT	7550000	200	
707			0 4	< > < C	а а ,	ראס	A T E	ح ن	Ž	
96	15mer	2 2nd.12	3000011000	CTATCTATT	TICTCATEGE	CATCCCCATC	TTCCTAGICC	7550000	1./ SEO ID NO 64	
707	_		3 ~	R X Y	SXX	X 4 X	L R S P	∢ ن	SO ON OF CALL	
97	6 mer	2 nd . 1	GCCCCTC ATC	CCCATAGGGT	TTATCCCCC				7560 ID NO 66	
п о.	_		¥ ✓	A 0 A	∢ ∪ ≻				19/18/20 HD NO 6/	
			_							

### Comparison of Signals at 6.25e11 vir/mL.





FIGURE 10: General Cloning Strategy



```
Mouse Heavy Chain "front" primers
     5'-ATTTCAGGCCCAGCCGGCCATGGCCGARGTRMAGCTKSAKGAGWC-3' SEQ ID NO 68
     5'-ATTTCAGGCCCAGCCGGCCATGGCCGARGTYCARCTKCARCARYC-3' SEQ ID NOGG
     5'-ATTTCAGGCCAGCCGGCCATGGCCCAGGTGAAGCTKSTSGARTC-3' SEQ ID NO TO
     5'-ATTTCAGGCCGAGCCGGCCATGGCCGAVGTGMWGCTKGTGGAGWC-3'SEQ ID NO 71
     JESB
     5'-ATTICAGGCCAGCCGGCCATGGCCCAGGTBCARCTRMARSARTC-3'SEO TO NO 72-
House Heavy chain "back" primers
     J6160
     5'-GCTGCCACCGCCACCTGMRGAGACDGTGASTGARG-3'SEQID NO 73
     5'-GCTGCCACCGCCACCTGMRGAGACDGTGASMGTRG-3'SED ID NO 74
     5'-GCTGCCACCGCCACCTGMRGAGACDGTGASCAGRG-3'SEQ ID NO 175
Mouse Light Chain Leader"front" primers
    PMC12
    5'-CCCGGGCCACCATGGAGACAGACACTCCTG-3' SEQ ED NO 76
    5'-CCCGGGCCACCATGGATTTTCAAOTGCAOATTTTC-3'SEQ ID NO 77
    5'-CCCGGGCCACCATGGAGHCACARWCTCAGGTC-3' SEQ ID NO 78
    5'-CCCGGGCCACCATGKCCCCWRCTCAGYTTCTKG-3' SEQ ID NO 79
    PMC55
    5'-CCCGGGCACCATGAAGTTGCCTGTTAGGCTG-3' SEQ ID NO 80
Mouse Light Chain "back" primer
    OKA57
    5'-GCACCTCCAGATGTTAACTGCTC-3' SEQ ID NO. 81
"96-110" Specific Primers
    96110HF2
    5'-TAATATCGCGACAGCTACAGGTGTCCACTCCCGAAGTGATGCTGGTGGAGWCTG-3'SEQ ID NO.82
    5'-TTATAQAATTCTGAGGAGACGGTGAGTGAG-3'SEQ ID NO 83
    96110BLF
    5'-TTAGGCGATATCGTTCTCTCCCAGTCTCC-3'SEDID NO. 84
    96110BLB
    5'-GTAACCG<u>TTCGAA</u>AAGTGTACTTACGTTTTATTTCCAGCATGGTCC-3'9£Q ID #0 &5
```

96-110 anti-staph (HAY) heavy chain variable region (type IIIA)

CANGTGATGCTGGTGGAGTTGGTGGAGCCTAAAGGGTCATTGAAACTCTCATGTGCAGCCTCTGGATTCACCTTCAAT SEG 10 A 

% ≫

aggitcaccatctccagagatgaticacaaggcatgctctatcccaaaaaaacaactrcaaaaacaaccatctattactgtcagaga $SeQ^{+0}N^{0}$ . Refixed by  $SeQ^{+0}N^{0}$ . COCCOCCTTCACCCATTCACTATCGACTAC TGCGGTCAACGAACCTCACCGTCTCCTCA SEQ 10 NO 94
R C A S G I D Y A B D Y H G Q G T 3 L I V S S SEQ 10 NO 95

96-110 anti-staph (HAY) light chain variable region (type VI)


CHARTTETTE TETECCAGECANTECTGECATE TECAGEGGANANGET CALATGACTIGG SEQ (D  $\lambda$ 0 or 1 or 1 s 0 s p  $\lambda$  1 d s p s p 0 b r v 7 h T c  $\leq$  5EQ (D  $\lambda$ 0 or 2 sectionalizate section  $\leq$  5EQ (D  $\lambda$ 0 or  $\leq$  266CCAGCTCAAGTGTAAATTACATGGAG  $\leq$  6EQ (D  $\lambda$ 0 or  $\leq$  26GCCAGCTCAAGTGTAAATTACATGGAG  $\leq$  6EQ (D  $\lambda$ 0 or  $\leq$  2 ACCCCACCACACTCAATTACATGCAG SEQ 10 NO. 98 R A S S S V N Y H R SEQ. 10 NO. 99


C SEQ 10 MO. 103 валотосстветсветтелетовслотоветствеалестетелететеледалелоследствалоствальляствееметлятыстве. SEQ 10 A0,105 OORPGSSPRPHIS ATSNLAS SEQ (D NO. (O) TGGTACCAGCAGAAACCCAGGAAACCCTGGATTTCT GCCACATCCAACCTGGCTTCT SEQ 10 NO 100

CAGCAGTGGAAGCCACCCACC TTCGOAGGGGACCATGCTGGAAATAAGA SEQITONO 104

C V P A R P S G S G S G T S Y S L T I S R V E A E D A A T Y Y

FIGURE 13





Common Unique Restriction Sites Shown

FIGURE 15: Antibody Production ELISA






FIGURE 16: Anti-Staph HAY Activity ELISA



Opsonic Activity of HuMAB 96-110 for S.epidermidis Bactericidal Assay Using Human Complement in a Neutrophil Mediated Opsonophagocytic




Bacteria-S. epidermidis (Strain Hay)

PMN-Flumnn


Percent Bacteria Killed (2HRS)

MAB 96-110 and HuMAB 96-110 in a Lethal Pilot Study to Compare the Effect of Mouse Model of S. Epidermidis Sepsis



MAB dose: 14 mg/kg given TP, 24 and 1 Hour prior to infection

Survival of CF-1 Mice after Intraperitoneal Challenge with 3x109 S. epidermidis (Hay)



18 mg/kg/dose, IP, 24 and 1 Hour prior to infection

# Effect of HuMAB 96-110 on Bacteremia in a Lethal S. epidermidis Sepsis Model

# Geometric Mean Bacteremia Level

5.2 x104 6.5 x104 7.2 x104 Placebo Saline

1.7x1012.1 x101  $7.5 \times 10^{2}$  $3 \times 10^{2}$ HuMAB 96-110

4 hrs 8 hrs 12 hrs


**18** hrs

## Time Post Infection

HaMAB 96-110 18 mg/kg/dose or saline given IP, 24 and 1 hour prior to IP infection with 3x109 S. epidermides (Hay)


### rocion" Fighestor

# Bacteremia levels 4 hrs after infection with 3 x 109 S. epidermidis\*



\* CF-1 mice infected IP with strain Hay-HuMAB given IP x 2

### odel: Study 1 midis\* Sepsis M The Effect of Hu 96-110 on Surv Neonatal S.epider



Survival: Hu 96-110 27/30 (90%) Saline 12/30 (40%)

Study II; Infection- ~5x107 SE, SQ (with plastic catheter SC Lipid Emulsion - 0.2 ml, 20% IP day-1 and + 1, 2 HuMAB or Saline- 0.2 ml, IP 30 min before and 24 lys after infection

Days After Infection

96-110 anti-staph (HAY) heavy chain variable region (type IIIA)

AAAGTGATGCTGGTGGAGTGGAGGATTGGTGGAGGTGAAAGGGTCATTGAAACTCTCTCAAGGGCGTCAAA RYMLVRS.GGGLVQPXG911XL.S

AACTACGCCATGAAT TGGGTCCGCCACGCTCCAGGAAAGGGTMYGGAAATGGGTTGCT

COCATAAGAAGTAAAAGTAATTAATTAAGCAACATTTTATGCGGATTCAGTGAAAAAGA

hegticaccatotecalablitatealabaccatocatotecalatecalatealatalacalatalababealabealacalocatotatatatetotea > ს SOSHLYLOUNNLKATID

CHOCCOCCTPRACE AND Y A H D Y H C O C T I L T V I I SEQ IO NO. 80

96-110 anti-staph (HAY) light chain variable region (type VI)

× 0

YCCCC ACCICA ACTOTA ATTACATICAC

rectivees cesassistices concesses the states of the states

GGA CTCC ETGCT C G CTCC A CTC GGT CTC GCA CCTC T CT CT CTC A CTC A CA CA GA GA GA GA GA GA CA CA A TGCT G CA CTT A THA CTC C

CDN Regions Underlined